

IN THE CLAIMS:

Please cancel Claims 3, 11, 12 and 14, without prejudice to, or disclaimer of, subject matter recited therein. Please amend Claims 1, 2, 7-10, 13 and 16, and add new Claim 16, as follows.

1. (Currently Amended) A compound eye imaging system, ~~comprising a plurality of comprising:~~
at least three optical blocks ~~blocks;~~ and
an imaging element for ~~picking-up~~ picking up object images formed by the optical blocks in imaging ranges provided for each optical block,
wherein optical axes of the optical blocks intersect each other, and at the object side
the compound eye imaging system measures the distance to an object based on outputs from a pair of imaging ranges in the imaging element, which correspond to any one pair of the at least three optical blocks.

2. (Currently Amended) A compound eye imaging system according to Claim 1, wherein all the optical axes of the ~~plurality of~~ optical blocks roughly intersect each other at one point.

3. (Canceled).

4. (Original) A compound eye imaging system according to Claim 1, wherein a plurality of imaging blocks, which comprise the imaging ranges that are different from each other, are formed in the imaging element.

5. (Original) A compound eye imaging system according to Claim 4, wherein the imaging element is constructed so that the plurality of imaging blocks are formed on a single substrate.

6. (Original) A compound eye imaging system according to Claim 5, wherein the imaging element is constructed by forming the plurality of imaging blocks on a single semiconductor substrate.

7. (Currently Amended) A compound eye imaging system according to Claim 1, wherein the ~~plurality of~~ optical blocks are unified.

8. (Currently Amended) A compound eye imaging system according to Claim 1, further comprising optical action surfaces comprising the optical blocks, wherein at least one of the optical action surfaces ~~comprising the plurality of optical blocks~~ has an aspherical shape.

9. (Currently Amended) A compound eye imaging system according to Claim 8, wherein an optical action surface comprising at least one ~~optical block~~ of the ~~plurality~~ of optical blocks has a rotational asymmetric aspherical shape.

10. (Currently Amended) A compound eye imaging system according to Claim 1, wherein at least one of the optical action surfaces comprising the ~~plurality~~ of optical blocks is a diffraction action surface.

11. (Canceled).

12. (Canceled).

13. (Currently Amended) An imaging device according to Claim ~~[[11]]~~ 1, wherein an average value of distances to an object is measured based on outputs from multiple pairs of imaging ranges for picking up an image of the object through multiple pairs of optical blocks in the imaging element.

14. (Canceled).

15. (Currently Amended) An electronic equipment, comprising the ~~imaging device~~ compound eye imaging system according to ~~any of Claims 11 through 14~~ Claim 1.

16. (New) A compound eye imaging system, comprising:
a plurality of optical blocks; and
an imaging element for picking-up object images formed by the optical blocks in
imaging ranges provided for each optical block,
wherein optical axes of the optical blocks intersect each other on the object side,
and
each imaging range corresponding to each optical block in the imaging element is
formed on a single semiconductor substrate.